

Geblackl technical features
products: Milleluci
design: Modoluce R&D 2002

Finiture

Tessuti diffusore



Cotton



Plissé



Plissé ribbon



Wool

Fabric lampshade



IP20



Ceiling rose detail



Milleluci 150
Ceiling rose detail

* on demand


** cable on measure

Technical features

products: Milleluci Pendant lamp
design: Modoluce R&D 2002



Pendant lamp - ø 40	ø 40 x 22 cm 2 Kg	lamp type 1xE27 max watt 42 W HES	MILESP040C01
Pendant lamp - ø 80	ø 80 x 45 cm 6 Kg	lamp type 4xE27 max watt 70 W HES	MILESP080C01
	ø 80 x 45 cm 6 Kg	lamp type 1 led module 23 W luminous efficacy 3628 Lm light colour 2700 K DIM dali / triac	MILESP080C05
Pendant lamp - ø 100 x h 35	ø 100 x 35 cm 7 Kg	lamp type 4xE27 max watt 70 W HES	MILESP035C01
	ø 100 x 35 cm 7 Kg	lamp type 1 led module 23 W luminous efficacy 3628 Lm light colour 2700 K DIM dali / triac	MILESP035C08
	ø 100 x 35 cm 7 Kg	lamp type 1 led module 57 W luminous efficacy 8750 Lm light colour 2700 K DIM dali	MILESP035C13
Pendant lamp - ø 100 x h 60	ø 100 x 60 cm 9 Kg	lamp type 4xE27 max watt 70 W HES	MILESP060C01
	ø 100 x 60 cm 9 Kg	lamp type 1 led module 23 W luminous efficacy 3628 Lm light colour 2700 K DIM dali / triac	MILESP060C08
	ø 100 x 60 cm 9 Kg	lamp type 1 led module 57 W luminous efficacy 8750 Lm light colour 2700 K DIM dali	MILESP060C13



Technical features

products: Milleluci Pendant lamp
design: Modoluce R&D 2002



Pendant lamp - ø 120 x h 60	ø 120 x 60 cm 14 Kg	lamp type 4xE27 max watt 70 W HES	MILESP120C01
	ø 120 x 60 cm 14 Kg	lamp type 1 led module 23 W luminous efficacy 3628 Lm light colour 2700 K DIM dali / triac	MILESP120C08
	ø 120 x 60 cm 14 Kg	lamp type 1 led module 88,2 W luminous efficacy 12380 Lm light colour 2700 K DIM dali	MILESP120C11
Pendant lamp - ø 150 x h 60	ø 150 x 60 cm 18 Kg	lamp type 6xE27 max watt 70 W HES	MILESP150P01
	ø 150 x 60 cm 18 Kg	lamp type 1 led module 88,2 W luminous efficacy 12380 Lm light colour 2700 K DIM dali	MILESP150P06

