

Geblackl technical features
products: Milleluci Soft
design: Modoluce R&D 2025

Finiture

Tessuti diffusore



Cubic*



For nature*



Kvadrat*



Velvet




Wool

Fabric lampshade

Other colors and
fabrics available on
demand



IP20



Ceiling rose detail



Milleluci 150 ceiling
rose detail

* on demand


** cable on measure

Technical features

products: Milleluci Soft Pendant lamp
design: Moduluze R&D 2025



Pendant lamp - ø 85	ø 85 x 44 cm 10 Kg	lamp type 4xE27 max watt 70 W HES	MIESP085O02
	ø 85 x 44 cm 10 Kg	lamp type 1 led module 23 W luminous efficacy 3628 Lm light colour 2700 K DIM dali / triac	MIESP085O03
Pendant lamp - ø 125	ø 125 x 44 cm 20 Kg	lamp type 4xE27 max watt 70 W HES	MIESP125O02
	ø 125 x 44 cm 20 Kg	lamp type 1 led module 23 W luminous efficacy 3628 Lm light colour 2700 K DIM dali / triac	MIESP125O03
	ø 125 x 44 cm 20 Kg	lamp type 1 led module 88 W luminous efficacy 12380 Lm light colour 2700 K DIM dali	MIESP125O06
Pendant lamp - ø 145	ø 145 x 44 cm 30 Kg	lamp type 6xE27 max watt 70 W HES	MIESP145O02
	ø 145 x 44 cm 30 Kg	lamp type 1 led module 88 W luminous efficacy 12380 Lm light colour 2700 K DIM dali	MIESP145O06
Sospensione - ø 85	ø 85 x 44 cm 10 Kg	lamp type 4xE27 max watt 70 W HES	MIESP085O02
	ø 85 x 44 cm 10 Kg	lamp type 1 led module 23 W luminous efficacy 3628 Lm light colour 2700 K DIM dali / triac	MIESP085O03



Technical features
products: Milleluci Soft Sospensione
design: Moduluce R&D 2025



Sospensione - ø 125	ø 125 x 44 cm 20 Kg	lamp type 4xE27 max watt 70 W HES	MISESP125O02
	ø 125 x 44 cm 20 Kg	lamp type 1 led module 23 W luminous efficacy 3628 Lm light colour 2700 K DIM dali / triac	MISESP125O03
	ø 125 x 44 cm 20 Kg	lamp type 1 led module 88 W luminous efficacy 12380 Lm light colour 2700 K DIM dali	MISESP125O06
Sospensione - ø 145	ø 145 x 44 cm 30 Kg	lamp type 6xE27 max watt 70 W HES	MISESP145O02
	ø 145 x 44 cm 30 Kg	lamp type 1 led module 88 W luminous efficacy 12380 Lm light colour 2700 K DIM dali	MISESP145O06

